

# Affected Product & Lot Number Locations



Lot Number on the bottom of carton

←→



**Active ingredients (in each 5 mL)**

Dextromethorphan HBr 5 mg.....Cough suppressant  
Guaifenesin 100 mg.....Expectorant

**Purpose**  
Use helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive. Temporarily relieves: cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants; the intensity of coughing; the impulse to cough to help your child get to sleep.

**Warnings: Do not use** in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

**Ask a doctor before use** if the child has cough that occurs with too much phlegm (mucus); persistent or chronic cough such as occurs with asthma.

**Stop use and ask a doctor** if cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**  
Do not take more than 6 doses in any 24-hour period. Measure only with dosing cup provided. Do not use dosing cup with other products. mL = milliliter

Age	Dose
children 6 years to under 12 years	5 mL - 10 mL every 4 hours
children 4 years to under 6 years	2.5 mL - 5 mL every 4 hours
children under 4 years	do not use

**Other information:** Store at 20-25°C (68-77°F).  
**Inactive ingredients:** acesulfame potassium, anhydrous citric acid, D&C red #33, FD&C red #40, flavor, glycerin, maltitol solution, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol solution, xanthan gum

**Questions or comments?** 1-800-632-6900  
**Do not use if printed neckband is broken or missing**

Distributed by  
The Kroger Co.  
Cincinnati, Ohio  
45202

**GLUTEN FREE**

**CODE AREA**  
+ 43926 + 45 F4

Lot Number

←

Compare to Children's Mucinex® Chest Congestion active ingredient\*

NDC 37809-289-26

**H-E-B**

**MUCUS RELIEF**  
Children's

Guaifenesin - Expectorant  
**Chest Congestion**

Thins and Loosens Mucus

Age 4+

Alcohol-Free

**Grape Flavor**

GLUTEN FREE

4 FL OZ (118 mL)

1504

0 41220 65896 1

LOT NO.

EXP. **Code Area**

1 28826 31 C5

Lot Number on the bottom of carton

←→

**sunmark**

COMPARE TO CHILDREN'S MUCINEX® COUGH ACTIVE INGREDIENTS\*

NDC 49348-928-34

**mucus relief cough**  
Children's

Cough  
Chest congestion  
Loosens mucus  
Alcohol-free  
GUAIFENESIN 100 mg  
EXPECTORANT  
DXTROMETHORPHAN HBr 5 mg  
COUGH SUPPRESSANT

**CHERRY FLAVOR**

GLUTEN FREE

4 FL OZ (118 mL)

0 10939 14844 5

LOT NO.

EXP. **Code Area**

1 43926 53 C3

**CAREONE**

CHILDREN'S

**MUCUS RELIEF COUGH**

GUAIFENESIN 100 mg/  
EXPECTORANT  
DXTROMETHORPHAN HBr 5 mg/  
COUGH SUPPRESSANT

**CHERRY FLAVOR**

Cough  
Chest Congestion  
Loosens Mucus

4 FL OZ (118 mL)

**Active Ingredients (In each 5 mL)**  
Dextromethorphan HBr 5 mg.....Cough suppressant  
Guaifenesin 100 mg.....Expectorant

**Purpose**  
**Uses:** helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive. Temporarily relieves: cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants; the intensity of coughing; the impulse to cough to help your child get to sleep.

**Warnings:** Do not use in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

**Ask a doctor before use if the child has** cough that occurs with too much phlegm (mucus); persistent or chronic cough such as occurs with asthma.

**Stop use and ask a doctor if** cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**  
Do not take more than 6 doses in any 24-hour period. Measure only with dosing cup provided. Do not use dosing cup with other products. mL = milliliter

Age	Dose
children 6 years to under 12 years	5 mL - 10 mL every 4 hours
children 4 years to under 6 years	2.5 mL - 5 mL every 4 hours
children under 4 years	do not use

**Other Information:** Store at 20-25°C (68-77°F).  
**Inactive ingredients:** aceulfame potassium, anhydrous citric acid, D&C red #33, FD&C red #40, flavor, glycerin, maltitol solution, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol solution, xanthan gum

**Do not use if printed neckband is broken or missing**  
**GLUTEN FREE**

**DISTRIBUTED BY:**  
AMERICAN SALES CO.  
4201 WALDEN AVE.  
LANCASTER, NY 14086  
1-877-846-9949  
©2012 S&S Brands, Inc.  
Quality guaranteed or your money back.

**CODE AREA**  
\* no varnish • no color  
1 41926 04 F5

Lot Number

←

**sunmark**  
NDC 49348-828-34

# mucus relief cough

## Children's

Cough  
Chest congestion  
Loose mucus  
Alcohol-free  
GUAIFENESIN 100 mg  
EXPECTORANT  
DEXTROMETHORPHAN HBr 5 mg  
COUGH SUPPRESSANT

**CHERRY FLAVOR**

4 FL OZ (118 mL)

**Active Ingredients (in each 5 mL)**  
Dextromethorphan HBr 5 mg.....Cough suppressant  
Guaifenesin 100 mg.....Expectorant  
**Uses:** helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive. Temporarily relieves cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants; the intensity of coughing; the impulse to cough to help your child get to sleep.  
**Warnings:** Do not use in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.  
**Ask a doctor before use if the child has cough that occurs with too much phlegm (mucus); persistent or chronic cough such as occurs with asthma.**  
**Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition.**  
**Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)**

**Directions**  
Do not take more than 6 doses in any 24-hour period. Measure only with dosing cup provided. Do not use dosing cup with other products. mL = milliliter

Age	Dose
children 6 years to under 12 years	5 mL – 10 mL every 4 hours
children 4 years to under 6 years	2.5 mL – 5 mL every 4 hours
children under 4 years	do not use

**Other Information:** Store at 20-25°C (68-77°F).  
**Inactive Ingredients:** acesulfame potassium, anhydrous citric acid, D&C red #33, FD&C red #40, flavor, glycerin, maltitol solution, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol solution, xanthan gum

**Questions or comments?** 1-800-719-9260  
**Do not use if printed neckband is broken or missing**

**Another Quality Product**  
Distributed By McKesson  
One Post Street,  
San Francisco, CA 94104  
Money Back Guarantee  
Please visit us at  
[www.sunmarkbrand.com](http://www.sunmarkbrand.com)

**CODE AREA**  
\* no tamish \* no color  
41926 53 F3

Lot Number  
←

**TopCare**  
NDC 36800-419-26  
SEE NEW DOSING DIRECTIONS

Alcohol Free  
For Ages 4 to 12

# Mucus Relief Cough

COUGH SUPPRESSANT (Dextromethorphan HBr)  
EXPECTORANT (Guaifenesin)

- Controls Cough
- Relieves Chest Congestion
- Thins & Loosens Mucus

Cherry Flavor

4 FL OZ (118mL)

**Active Ingredients (in each 5 mL)**  
Dextromethorphan HBr 5 mg.....Cough suppressant  
Guaifenesin 100 mg.....Expectorant  
**Uses:** helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive. Temporarily relieves cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants; the intensity of coughing; the impulse to cough to help your child get to sleep.  
**Warnings:** Do not use in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.  
**Ask a doctor before use if the child has cough that occurs with too much phlegm (mucus); persistent or chronic cough such as occurs with asthma.**  
**Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition.**

**Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.**  
**Directions**  
Do not take more than 6 doses in any 24-hour period.

Age	Dose
children 6 years to under 12 years	1-2 teaspoons every 4 hours
children 4 years to under 6 years	½-1 teaspoon every 4 hours
children under 4 years	do not use

**Other Information:** each teaspoon contains sodium 3 mg. Store at 20-25°C (68-77°F).  
**Inactive Ingredients:** acesulfame potassium, citric acid, D&C red no. 33, FD&C red no. 40, flavor, glycerin, maltitol, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol solution, xanthan gum

**Questions or comments?** 1-888-423-0139  
**Do not use if printed neckband is broken or missing**

DISTRIBUTED BY  
TOPCO ASSOCIATES LLC  
7711 GROSS POINT ROAD  
SKOKIE, IL 60077  
©TOPCO PER108 [topcare@topco.com](mailto:topcare@topco.com)

**CODE AREA**  
\* no tamish \* no color  
41926 88 F3

Lot Number  
←


**CVS Health**  
Do not use if printed neckband is broken or missing  
NDC 59779-288-26

# Children's Mucus Relief Chest Congestion

GUAIFENESIN  
Expectorant

Grape Flavor Liquid

4 FL OZ (118 mL)



**Active ingredient (in each 5 mL)**  
Guaifenesin 100 mg.....Expectorant  
**Uses:** helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive.  
**Warnings:** **Ask a doctor before use if the child has cough that occurs with too much phlegm (mucus); persistent or chronic cough such as occurs with asthma.**  
**Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition.**  
**Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).**  
**Directions**  
Do not take more than 6 doses in any 24-hour period. Measure only with dosing cup provided. Do not use dosing cup with other products. mL = milliliter

**Other information**  
Do not use if printed neckband is broken or missing. Store at 20-25°C (68-77°F). Do not refrigerate. Dosing cup provided.

**Inactive ingredients** acesulfame potassium, anhydrous citric acid, FD&C blue #1, FD&C red #40, flavor, glycerin, maltitol solution, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol solution, sucralose, xanthan gum  
**Questions or comments?**  
1-800-719-9260

Distributed by: CVS Pharmacy, Inc.  
One CVS Drive, Woonsocket, RI 02895  
© 2016 CVS/pharmacy  
CVS.com® 1-800-SHOP CVS  
V-16430

Age	Dose
children 6 years to under 12 years	5 mL – 10 mL every 4 hours
children 4 years to under 6 years	2.5 mL – 5 mL every 4 hours
children under 4 years	do not use

**CVS Quality**  
Money Back Guarantee  
**CODE AREA**  
\* no tamish \* no color  
28826 17 F3

Lot Number  
←

**Kroger**  
QUALITY GUARANTEED

COMPARE TO active ingredients of **CHILDREN'S MUCINEX® COUGH**  
\*See side panel  
NDC 39142-418-26

# Children's Mucus Relief Cough

Cough Suppressant  
(Dextromethorphan HBr 5 mg)  
Expectorant (Guaifenesin 100 mg)

- ▶ Cough
- ▶ Chest Congestion
- ▶ Loosens Mucus
- ▶ Alcohol-Free ▶ Cherry Flavor

Our Pharmacists Recommend

4 FL OZ (118 mL)

LOT NO.  
EXP: **Code Area**  
1 41926 45 C4

Lot Number on the bottom of carton

←————→

**CVS Health.** Compare to the active ingredient in Children's Mucinex® Chest Congestion\*  
NDC 58770-288-26

# Children's Mucus Relief Chest Congestion

**GUAIFENESIN**  
Expectorant

**Relieves:**  
Chest congestion  
Thins & loosens mucus

Alcohol free  
Gluten free

For Ages 4 to 12 Years

Grape Flavor Liquid  
Dosage cup included

4 FL OZ (118 mL)

#689421

LOT NO.  
EXP: **Code Area**  
1 28826 37 C4

GOODSENSE® NDC 0113-0419-26

Non-Drowsy

# Children's Mucus Relief Cough

Guaifenesin 100 mg Expectorant  
Dextromethorphan HBr 5 mg Cough Suppressant

**Cherry Flavor Liquid**  
Alcohol-Free

4 FL OZ (118 mL)

**Active Ingredients (in each 5 mL)**  
Dextromethorphan HBr 5 mg.....Cough suppressant  
Guaifenesin 100 mg.....Expectorant

**Purpose**  
Cough suppressant helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive. Temporarily relieves: cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants; the intensity of coughing; the impulse to cough to help your child get to sleep.

**Warnings:** Do not use in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product. Ask a doctor before use if the child has cough that occurs with too much phlegm (mucus); persistent or chronic cough such as occurs with asthma. Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**  
Do not take more than 6 doses in any 24-hour period. Measure only with dosing cup provided. Do not use dosing cup with other products. mL = milliliter

Age	Dose
children 6 years to under 12 years	5 mL – 10 mL every 4 hours
children 4 years to under 6 years	2.5 mL – 5 mL every 4 hours
children under 4 years	do not use

**Other Information:** Store at 20-25°C (68-77°F).  
**Inactive Ingredients:** acesulfame potassium, anhydrous citric acid, D&C red #33, FD&C red #40, flavor, glycerin, maltitol solution, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol solution, xanthan gum

Questions or comments? 1-800-719-9260

**Do not use if printed neckband is broken or missing**

Gluten Free  
Distributed By **Perrigo®**  
Allergan, MI 49010

**CODE AREA**  
= no marsh = no color  
1 41926 C2 F4

Lot Number

←

Compare to the Active Ingredients in Children's Mucosin® Cough\*

**CAREONE®**  
CHILDREN'S  
**MUCUS RELIEF COUGH**

GUAFENESIN 100 mg/  
EXPECTORANT  
DEXTROMETHORPHAN HBr 5 mg/  
COUGH SUPPRESSANT

**CHERRY FLAVOR**

• Cough  
• Chest Congestion  
• Loosens Mucus

4 FL OZ (118 mL)



LOT NO.

EXP. **Code Area**

4192L 34 C5

Lot Number on the bottom of carton

←————→

**DG**health

For Ages 4 to 12 Years  
**Children's Mucus Relief Cough**

Cherry Flavor

Dosage Cup Included

Each dose of cherry flavored Children's Mucus Relief Cough:

- Controls cough
- Relieves chest congestion
- Alcohol free



LOT NO.

EXP. **Code Area**

4192L VT C4

**DG**health

For Ages 4 to 12 Years  
**Children's Mucus Relief Cough**

Guafenesin 100 mg • Expectorant  
Dextromethorphan HBr 5 mg • Cough Suppressant

• Non drowsy  
• Alcohol free

Cherry Flavor

4 FL OZ (118 mL)

**Active Ingredients (in each 5 mL)**

Dextromethorphan HBr 5 mg.....Cough suppressant  
Guafenesin 100 mg.....Expectorant

**Use:** helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive. Temporarily relieves cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants; the intensity of coughing; the impulse to cough to help your child get to sleep.

**Warnings:** Do not use in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product. **Ask a doctor before use if the child has cough that occurs with too much phlegm (mucus); persistent or chronic cough such as occurs with asthma.**

**Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).**

**Directions**  
Do not take more than 6 doses in any 24-hour period. Measure only with dosing cup provided. Do not use dosing cup with other products. mL - milliliter

Age	Dose
children 6 years to under 12 years	5 mL - 10 mL every 4 hours
children 4 years to under 6 years	2.5 mL - 5 mL every 4 hours
children under 4 years	do not use

**Other Information:** Do not use if printed neckband is broken or missing. Store at 20-25°C (68-77°F). Do not refrigerate. Dosing cup provided.

**Inactive Ingredients:** acesulfame potassium, anhydrous citric acid, D&C red #33, FD&C red #40, flavor, glycerin, maltitol solution, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol solution, xanthan gum

**Questions/comments?** 1-888-309-9030  
DISTRIBUTED BY DOLGENCORP, LLC  
100 MISSION RIDGE  
GOODLETTSVILLE, TN 37072 USA

**100% Satisfaction Guaranteed!**  
If you're not satisfied with this product for any reason, please call us so we can make you 100% satisfied.  
(888) 309-9030

**CODE AREA**  
• NO VARIATION • NO COLOR

4192L VT F4

Lot Number

←

**TopCare®**

NDC 36800-410-28

**ALCOHOL-FREE**

# Children's Mucus Relief Cough

Guaifenesin 100 mg  
EXPECTORANT

Dextromethorphan HBr 5 mg  
COUGH SUPPRESSANT

- Cough
- Chest Congestion
- Loosens Mucus

**CHERRY FLAVOR**

COMPARE TO CHILDREN'S MUCUS RELIEF COUGH active ingredients\*

4 FL OZ (118 mL)



LOT NO.

EXP. **Code Area**

14192L 88 C4

Lot Number on the bottom of carton ↑

**RITE AID PHARMACY**

## children's mucus relief cough

cough suppressant (dextromethorphan HBr 5 mg) expectorant (guaifenesin 100 mg)

**ALCOHOL-FREE**  
controls cough  
relieves chest congestion  
thins and loosens mucus

**cherry flavor liquid**

4 FL OZ (118 mL)

**Active ingredients (in each 5 mL)**  
Dextromethorphan HBr 5 mg.....Cough suppressant  
Guaifenesin 100 mg.....Expectorant

**Purpose**  
Does help loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive. Temporarily relieves cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants; the intensity of coughing; the impulse to cough to help your child get to sleep.

**Warnings:** Do not use in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product. Ask a doctor before use if the child has cough that occurs with too much phlegm (mucus); persistent or chronic cough such as occurs with asthma.

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions:**  
Do not take more than 6 doses in any 24-hour period. Measure only with dosing cup provided. Do not use dosing cup with other products. mL = milliliter

Age	Dose
children 6 years to under 12 years	5 mL - 10 mL every 4 hours
children 4 years to under 6 years	2.5 mL - 5 mL every 4 hours
children under 4 years	do not use

**Other information:** Do not use if printed neckband is broken or missing. Store at 20-25°C (68-77°F). Do not refrigerate. Dosing cup provided.

**Inactive ingredients:** acsulfame potassium, anhydrous citric acid, D&C red #23, FD&C red #40, flavor, glycerin, maltitol solution, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol solution, xanthan gum

**Questions or comments?** 1-800-719-8260

**SATISFACTION GUARANTEE**

**IF YOU'RE NOT SATISFIED, WE'LL HAPPILY REFUND YOUR MONEY.**

**DISTRIBUTED BY:**  
RITE AID  
30 HUNTER LANE  
CAMP HILL, PA 17011

**CODE AREA**  
• no tamish • no color  
14192L 88 F5

Lot Number ←

NDC 37908-289-26

**H-E-B**

## MUCUS RELIEF

Children's

Guaifenesin - Expectorant  
Chest Congestion

- Thins and Loosens Mucus

Age 4+

Grape Flavor

**GLUTEN FREE** 4 FL OZ (118 mL)

**Active ingredient (in each 5 mL)**  
Guaifenesin 100 mg.....Expectorant

**Uses:** helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive.

**Warnings:**  
Ask a doctor before use if the child has cough that occurs with too much phlegm (mucus); persistent or chronic cough such as occurs with asthma.  
Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition.  
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions:**  
Do not take more than 6 doses in any 24-hour period. Measure only with dosing cup provided. Do not use dosing cup with other products. mL = milliliter

Age	Dose
children 6 years to under 12 years	5 mL - 10 mL every 4 hours
children 4 years to under 6 years	2.5 mL - 5 mL every 4 hours
children under 4 years	do not use

**Other information:**  
Do not use if printed neckband is broken or missing. Store at 20-25°C (68-77°F). Do not refrigerate. Dosing cup provided.

**Inactive ingredients:** acsulfame potassium, anhydrous citric acid, FD&C blue #1, FD&C red #40, flavor, glycerin, maltitol solution, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol solution, sucralose, xanthan gum

**Questions or comments?** 1-800-719-8260

**Do not use if printed neckband is broken or missing**

**MADE WITH PRIDE & CARE FOR H-E-B®**  
SAN ANTONIO, TX 78204 1504

**CODE AREA**  
• no tamish • no color  
2882L 3J F5

Lot Number ←